

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 17.04.2018 Revision date: 18.08.2023 Supersedes version of: 18.08.2023 Version: 2.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: CHARBON ACTIF SUPRA 4
EC-No.	: 931-334-3
CAS-No.	: 7440-44-0
REACH registration No.	: 01-2119488716-22
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category

Industrial/Professional use spec Use of the substance/mixture Use of the substance/mixture : Professional use

: For œnological use

- : For professional use only
- : Food-grade powdered activated carbon.Treatment of oxidised white wines.

se of the substance/mixture

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

LAFFORT FRANCE SAS P.O. Box CS 61611 33072 BORDEAUX CEDEX FRANCE T +33 (0)5 56 86 53 04 - F +33 (0)5 56 86 30 50 info@laffort.com - www.laffort.com

Distributor

LAFFORT SOUTH AFRICA 32 ZANDWYK PARK 7646 PAARL SOUTH AFRICA T +27 21 882 8106 info@laffort.com - www.laffort.com

Distributor

LAFFORT ITALIA S.P. PER CASTELNUOVO SCRIVIA S.N.C. 15057 TORTONA AL T +39 0131 863 608 - F +39 0131 821 305 laffortitalia@laffort.com - www.laffort.com

Distributor

LAFFORT CHILE PARCELA 233, LOTE 2, COLONIA KENNEDY, SECTOR HOSPITAL 9540000 PAINE CHILE T +56 22 979 1590 - F +56 9 5201 7140 info@laffort.com - www.laffort.com

Distributor

LAFFORT ARGENTINA PREDIO INDUSTRIAL, CALLE CASTRO BARROS 1330 CARRODILLA AR– LUJAN DE CUYO – MENDOZA Distributor LAFFORT USA 1460 CADER LANE SUITE C CA 94954 PETALUMA

USA T +1 (707) 775 4530

laffortusa@laffort.com - www.laffortusa.com

Distributor

LAFFORT NEW ZEALAND 4/B GREENWOODS CLOSE TITIRANGI P.O. Box P.O. BOX 60-249 1000 AUCKLAND NEW ZEALAND T 64 (0) 21 322 290

info@laffort.com - www.laffort.com

Distributor

LAFFORT ESPAÑA S.A. TXIRRITA MALEO 12 APTDO 246 20100 RENTERIA (Guipúzcoa) ESPAÑA T 0034943344068 - F 0034943344281 info@laffort.com - www.laffort.com

Distributor

LAFFORT AUSTRALIA 10 KALIMNA RD NURIOOTPA, 5355 SOUTH AUSTRALIA AUSTRALIA T (08) 8360 2200 info@laffort.com - www.laffort.com

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ARGENTINA

T + 54 261 4962309 - F + 54 261 4964060

info@laffort.com - www.laffort.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145	13 11 26	
Canada	Ontario Poison Centre (OPC)	The Hospital for Sick Children 555 University Avenue ON M5G 1X8 Toronto	1-800-268-9017 (416) 813-5900	
Canada	BC Drug and Poison Information Centre (DPIC)	655 West 12th Avenue BC V5Z 4R4 Vancouver	1-800-567-8911 (604) 682-5050	
China	National Poison Control Center	Chinese Center for Disease Control and Prevention Nanwei road, No.29 100050 Beijing	+86 10 831 32 046	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	Information available 24/7 in Croatian and English
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	
Denmark	Giftlinjen	Bispebjerg Bakke 23 Opgang 20 C 2400 København NV	+45 82 12 12 12	
Georgia	National Toxicology Information Advisory Center	Tbilisi State Medical University Department of Toxicology - 7 Asatiani St. 380 077 Tbilisi	+995 99 533320	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Hungary	Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai Tájékoztató Szolgálat	Nagyvárad tér 2. 1437 Budapest, Pf. 839 1097 Budapest	+36 80 20 11 99	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096	+972 4 854 1900	
Japan	Japan Poison Information Center	Tsukuba Medical Center 1-1-1 Amakubo 305-0005 Tsukuba City, Ibaraki	+81-29-856-3566 +81-72-727-2499	
Jordan	National Drug & Poison Information Center of Jordan		0798506755 00962-6-5353444	
Kazakhstan	Republican Toxicology Center	Tole-bi 93 480083 Almaty	+7 3272 925 868	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
New Zealand	National Poisons Centre	Dunedin School of Medicine, University of Otago PO Box 913 9054 Dunedin	0800 764 766 +56 2 2 247 3600	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
Poland	National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)	ul. Teresy 8 P.O. BOX 199 90950 Łódź	+48 42 63 14 724	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca Bucuresti	+40 21 230 8000	
Russia	Информационно-консультативный центр по токсикология (RTIAC) Министерство здравоохранения Российской Федерации	3 Сухаревская Площадь Блок 7 129090 г. Москва	+7 495 628 1687 (только на русском)	
Serbia	Nacionalni centar za kontrolu trovanja - VMA	Crnotravska 17 11000 Beograd	+381 11 360 84 40	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška 7 1000 Ljubljana	+386 522 52 83	
South Africa	Tygerberg Poison Information Centre	Division of Clinical Pharmacology Faculty of Medicine and Heath Sciences Stellenbosch University - PO Box 241 8 000 Cape Town	0861 555 777 +56 2 2 247 3600	
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54 Solna	112 – begär Giftinformation	
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzısıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 SER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals
United States of America	American Association of Poison Control Centers	515 King St., Suite 510 VA 22314 Alexandria	1-800-222-1222 +56 2 2 247 3600	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008	[CLP]
Self-Heating Substances and Mixtures, Category 2 Full text of H- and EUH-statements: see section 16	H252
Adverse physicochemical, human health and environment	tal effects
Self-heating in large quantities; may catch fire.	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP]
Hazard pictograms (CLP) :	GHS02
Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) :	 Warning H252 - Self-heating in large quantities; may catch fire. P280 - Wear protective gloves, protective clothing, eye protection, face protection. P407 - Maintain air gap between stacks or pallets. P235 - Keep cool. P413 - Store bulk masses greater than kg lbs at temperatures not exceeding °C °F. P420 - Store separately.
2.3. Other hazards	
Other hazards which do not result in classification :	 This substance is classified as hazardous as a combustible dust by the United States 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulation (HPR) 2015. The signal word, hazard statement and precautionary statements in the United States and Canada are: WARNING May form combustible dust concentrations in air. Keep away from all ignition sources including heat, sparks and flame. Prevent dust accumulations to minimize explosion hazard. Activated carbon (especially when wet) can deplete oxygen from air in enclosed spaces, and dangerously low levels of oxygen may result. Prior to entering a confined space that contains or previously contained activated carbon, the space should be evaluated for oxygen and carbon monoxide concentrations, and any other hazards, by a qualified person. Workers should also take appropriate precautions when dealing with spent (used) activated carbons which may exhibit hazardous properties associated with the adsorbed materials. Activated carbon shave high surface area which may cause self-heating during oxidation. See Section 5. Avoid dust formation. Powdered material may form an explosible dust-air mixture. If transferring product under pressure, avoid generation of dust if an ignition source is present. Do not generate dust because airborne respirable crystalline silica may be generated. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Activated carbon (especially when wet) can deplete oxygen from air in enclosed spaces, and dangerously low levels of oxygen may result. Prior to entering a confined space that contains or previously contained activated carbon, the space should be evaluated for oxygen and carbon monoxide concentrations, and any other hazards, by a qualified person. Activated carbons have high surface area which may cause self-heating during oxidation. See Section 5. Workers should also take appropriate precautions when dealing with s

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

3.1. Substances			
Substance type	: Mono-consti	tuent	
Name	: Charbon_Act	if_Supra_4	
CAS-No.	: 7440-44-0		
EC-No.	: 931-334-3		
Name	Product id	entifier	%
Activated carbon	CAS-No.: 74	40-44-0	100
	EC-No.: 931	-334-3	
	REACH-no: (01-2119488716-22	
Comments	• This product	contains less than 1	% crystalline silica (fine fraction) consisting of cristobalite (fine
comments	•	quartz (fine fraction	
	,	CAS-No.: 14464-46-1	
		No.: 14808-60-7 EC N	

3.2. Mixtures

Not applicable

4.1. Description of first aid measures	
First-aid measures general	: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. If symptoms persist call a doctor.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.
First-aid measures after skin contact	: After contact with skin, wash immediately and thoroughly with water and soap. Apply emollient cream. If symptoms persist, call a physician. Wash skin with plenty of water.
First-aid measures after eye contact	 In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Give water to drink if victim completely conscious/alert. Never give anything by mouth to an unconscious person. Never attem to induce vomiting : risk of inhalation. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	: More detailed information: See section 11.
Symptoms/effects after inhalation	 May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Breathing crystalline silica dust for long periods can damage your lungs. Crystalline silica (cristobalite) is a known cause of silicosis, a progressive, sometimes fatal lung disease.
Symptoms/effects after skin contact	: May cause moderate irritation.
Symptoms/effects after eye contact	: May cause eye irritation. Eye irritant upon direct contact.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	 If there is a fire close by, use suitable extinguishing agents. carbon dioxide (CO2), powder, alcohol-resistant foam, water spray. Water spray. Dry powder. Foam. Do not use water jet. Avoid dust formation. Powdered material may form an explosible dust-air mixture. If transferring product under pressure, avoid generation of dust if an ignition source is present.
5.2. Special hazards arising from the substance	or mixture
Fire hazard Hazardous decomposition products in case of fire	 When mixed with air and exposed to an ignition source, dust may burn in the open air. Activated carbons have high surface area which may cause self-heating during oxidation. An adequate air gap between packages of activated carbon is recommended to reduce risk of propagation of the event. Activated carbon is difficult to ignite and tends to burn slowly (smolder) without producing smoke or flame. This product is a self-heating substance (UN Manual of Tests and Criterion, Second Revised Edition, Test N.3.). Self-heating in large quantities; may catch fire. Materials allowed to smolder for long periods in enclosed spaces may produce amounts of carbon monoxide which reach the lower explosive limit (carbon monoxide LEL = 12.5% in air). Used activated carbon may produce additional combustion products which are based on the substance(s) adsorbed. Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. [In case of inadequate ventilation] wear respiratory protection. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not contaminate ground and surface water. Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Evacuate personnel to a safe area.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
Measures in case of dust release	: Ensure adequate ventilation. Avoid dust formation.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak without risks if possible. Collect spillage.	
Methods for cleaning up	: Mechanically recover the product. Use non-sparking handtools. Do not use compressed air for cleaning. Dust deposited may be vacuum cleaned or the area hosed down with water. Shovel into suitable and closed container for disposal. Minimise generation of dust. Clean contaminated	
Other information	surfaces with an excess of water. Notify authorities if product enters sewers or public waters.Dispose of materials or solid residues at an authorized site. Do not allow to enter drains or water courses.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". Concerning disposal elimination after cleaning, see section 13. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Dust may form flammable and explosive mixture with air. When handling product, avoid contact with skin and eyes. Avoid the build-up of electrostatic charge. All equipment used when handling the product must be grounded.
Precautions for safe handling	: Avoid dust formation. Ensure good ventilation of the work station. Local exhaust is recommended where dust may occur. Where excessive dust may result, use approved respiratory protection equipment. Store tightly closed in a dry and cool place. Do not breathe dust. Do not use compressed air to fill, handle or work up. Activated carbons have high surface area which may cause self-heating during oxidation. An adequate air gap between packages of activated carbon is recommended to reduce risk of propagation of the event. Activated carbon is difficult to ignite and tends to burn slowly (smolder) without producing smoke or flame. This product is a self-heating substance (UN Manual of Tests and Criterion, Second Revised Edition, Test N.3.). Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Remove contaminated clothes. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures Storage conditions	 Store in original container. Avoid dust formation. Maintain air gap between stacks/pallets. Store in a dry place. Store in a closed container. Keep only in the original container in a cool, well-ventilated place away from moisture. Keep away from ignition sources. Store away from other materials. Keep cool. Protect from sunlight. Store in a well-ventilated place.
Incompatible products Heat and ignition sources	 Strong acids, strong oxidants. Adsorbents. Keep away from ignition sources (including static discharges). Store away from heat.
7.3. Specific end use(s)	

For œnological use.

8.1. Control parameters	
8.1.1 National occupational exposure and biological limit values	
CHARBON ACTIF SUPRA 4 (7440-44-0)	
France - Occupational Exposure Limits	
Local name	Poussières totales (locaux à pollution spécifique)
VME (OEL TWA)	4 mg/m³ 0,9 mg/m³
Remark	Valeurs règlementaires contraignantes
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2021-1763)

EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Silica crystaline (Quartz)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Activated carbon (7440-44-0)	
IOEL TWA	0,05 mg/m ³ (respirable dust)
Remark	(Year of adoption 2003)
Regulatory reference	SCOEL Recommendations
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	10 mg/m ³ Inhalable dusts
Belgium - Occupational Exposure Limits	
OEL TWA	10 mg/m ³ Inhalable dusts
OEL STEL	3 mg/m ³ Breathable dust
France - Occupational Exposure Limits	
Local name	Poussières totales (locaux à pollution spécifique)
VME (OEL TWA)	4 mg/m ³ 0,9 mg/m ³
VLE (OEL C/STEL)	10 mg/m ³ Inhalable dusts
Remark	Valeurs règlementaires contraignantes
Regulatory reference	Article R4412-149 du Code du travail (réf.: INRS ED 984, 2016; Décret n° 2021-1763)
Germany - Occupational Exposure Limits (TRGS	900)
AGW (OEL TWA) [1]	10 mg/m ³ Inhalable dusts
Ireland - Occupational Exposure Limits	
OEL TWA [1]	10 mg/m ³ Breathable dust
OEL STEL	4 mg/m ³ Inhalable dusts
Italy - Occupational Exposure Limits	·
OEL TWA	10 mg/m ³ Inhalable dusts
Netherlands - Occupational Exposure Limits	
TGG-8u (OEL TWA)	3,5 mg/m ³ Inhalable dusts
Spain - Occupational Exposure Limits	
Local name	Sílice Cristalina: Cuarzo
VLA-ED (OEL TWA) [1]	10 mg/m ³ Inhalable dusts
VLA-EC (OEL STEL)	4 mg/m ³ Breathable dust
Remark	v (Agente cancerígeno con valor límite vinculante recogido en el anexo III del Real Decreto 665/1997 y en sus modificaciones posteriores), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles), y (Reclasificado, por la International Agency for Research on Cancer (IARC) de grupo 2A (probablemente carcinogénico en humanos) a grupo 1 (carcinogénico en humanos)).
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2022. INSHT
Sweden - Occupational Exposure Limits	
NGV (OEL TWA)	10 mg/m ³ Inhalable dusts
KTV (OEL STEL)	5 mg/m ³ Breathable dust
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	10 mg/m ³ Breathable dust

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Activated carbon (7440-44-0)		
USA - ACGIH - Occupational Exposure Lim	its	
ACGIH OEL TWA	10 mg/m ³ Inhalable dusts	
8.1.2. Recommended monitoring procedur	'es	
No additional information available		
8.1.3. Air contaminants formed		

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Avoid dust formation. Avoid raising powdered materials into airborne dust. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Ensure the ventilation system is regularly maintained and tested. Handle in accordance with good industrial hygiene and safety practice. Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Refer to protective measures listed in Sections 7 and 8.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Use splash goggles when eye contact due to splashing is possible. Safety glasses. Safety glasses with side shields

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Nitrile rubber gloves. Latex gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR), Latex		0.4		EN ISO 374

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

Use engineering controls to keep exposures below the OEL or DNEL. Where excessive dust may result, use approved respiratory protection equipment. EN 149

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow into drains or water courses. Avoid release to the environment. Avoid discharge to atmosphere. Relevant water authorities should be notified of any large spillage to water course or drain.

Other information:

Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety practice. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: Black.
Appearance	: Powder.
Odour	: odourless. On contact with humidity, releases: sulfur.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
	: Not available
Boiling point Flammability	: 630 – 640 °C
Fidmindbillty	Non flammable.
Explosive properties	: Dust may form explosive mixture in air.
Explosive properties Explosive limits	: Not applicable
	: ≥ 50 g/m ³ EN 14034-3
Lower explosion limit	-
Upper explosion limit Flash point	: Not applicable : Not applicable
-	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature pH	: Not available
рп pH solution	: Not available
Viscosity, kinematic Solubility	: Not applicable : insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1,671 20°C
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle aggiorneration state Particle specific surface area	: Not available
Particle dustiness	: Not available
	. Het divide

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Minimum ignition energy

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Bulk density

: 250 – 350 kg/m³

SECTION 10: Stability and reactivity

10.1. Reactivity

An exothermic reaction may occur. on contact with incompatible materials. Oxidizing materials. Dust may form explosive mixture in air. Avoid the build-up of electrostatic charge. Provide equipment/receptacles with earthing. Self-heating in large quantities; may catch fire.

10.2. Chemical stability

Stable in use and storage conditions as recommended in item 7.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid dust formation. Heat. Remove all sources of ignition. Activated carbon (especially when wet) can deplete oxygen from air in enclosed spaces, and dangerously low levels of oxygen may result. Prior to entering a confined space that contains or previously contained activated carbon, the space should be evaluated for oxygen and carbon monoxide concentrations, and any other hazards, by a qualified person. Activated carbons have high surface area which may cause self-heating during oxidation. An adequate air gap between packages of activated carbon is recommended to reduce risk of propagation of the event. Activated carbon is difficult to ignite and tends to burn slowly (smolder) without producing smoke or flame. This product is a self-heating substance (UN Manual of Tests and Criterion, Second Revised Edition, Test N.3.).

10.5. Incompatible materials

Oxidizing agents and strong acids.

10.6. Hazardous decomposition products

Materials allowed to smolder for long periods in enclosed spaces may produce amounts of carbon monoxide which reach the lower explosive limit (carbon monoxide LEL = 12.5% in air). Used activated carbon may produce additional combustion products which are based on the substance(s) adsorbed. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)	
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)	
Activated carbon (7440-44-0)		
LD50 oral rat	≥ 2000 mg/kg OCDE 423	
LC50 Inhalation - Rat	≥ 8,5 mg/l 1h - OCDE 403	
Skin corrosion/irritation	: Not classified. Not irritating to rabbits on cutaneous application. (OECD 404 method) (Based on available data, the classification criteria are not met)	
Serious eye damage/irritation	: Not classified. Not irritating to rabbits on ocular application. (OECD 405 method) (Based on available data, the classification criteria are not met)	
Respiratory or skin sensitisation	: Not classified. Did not cause sensitisation. (OECD 429 method) (Based on available data, the classification criteria are not met)	
Germ cell mutagenicity	: Mutagenicity tests are negative. (OECD 471 method). (OECD 473 method). (OECD 476 method) (Based on available data, the classification criteria are not met)	
Carcinogenicity	 This product contains less than 1 % crystalline silica (fine fraction) consisting of cristobalite (fine fraction) and quartz (fine fraction). Cristobalite: CAS-No.: 14464-46-1 EC No.: 238-455-4 Quartz: CAS-No.: 14808-60-7 EC No.: 238-878-4. IARC. Group 1. USA - ACGIH. Category 2A (Based or available data, the classification criteria are not met) 	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Descus durations travisity	Net described (Described an excitable data the described in with the second sector)
Reproductive toxicity :	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure :	Not classified (Based on available data, the classification criteria are not met)
· · ·	STOT RE Not classified. This product contains less than 1 % crystalline silica (fine fraction) consisting of cristobalite (fine fraction) and quartz (fine fraction).
	Cristobalite: CAS-No.: 14464-46-1 EC No.: 238-455-4
	Quartz: CAS-No.: 14808-60-7 EC No.: 238-878-4. STOT RE 1 (Based on available data, the
	classification criteria are not met)
Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)
CHARBON ACTIF SUPRA 4 (7440-44-0)	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Ecological problems are not known or expected under normal use. High concentration in water may cause long-term adverse effects in the aquatic environment.
Ecology - water	: not toxic to water organisms. insoluble in water.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (insoluble in water)
Hazardous to the aquatic environment, long–term (chronic)	: Not classified
12.2. Persistence and degradability	
Activated carbon (7440-44-0)	
Persistence and degradability	Not biodegradable.
12.3. Bioaccumulative potential	
Activated carbon (7440-44-0)	
Bioaccumulative potential	There is no bioaccumulation. Not soluble in water alone.
12.4. Mobility in soil	
Activated carbon (7440-44-0)	
Ecology - soil	practically insoluble.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Other adverse effects	: Do not allow to enter drains or water courses

Safety Data Sheet

cording to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste) Waste treatment methods	Disposal must be done according to official regulations.Dispose of contents/container in accordance with licensed collector's sorting instructions. Avoid	
Product/Packaging disposal recommendations	dust formation. Recycling is preferred to disposal or incineration.Empty remaining contents. Dispose of contents/container in accordance with licensed collector's sorting instructions.	
SECTION 14: Transport information		
n accordance with ADR / IMDG / IATA / ADN / RID		
14.1. UN number or ID number		
JN-No. (ADR)	: UN 1362	
JN-No. (IMDG)	: UN 1362	
JN-No. (IATA)	: UN 1362	
JN-No. (ADN)	: UN 1362	
JN-No. (RID)	: UN 1362	
14.2. UN proper shipping name		
roper Shipping Name (ADR)	: CARBON, ACTIVATED	
Proper Shipping Name (IMDG)	: CARBON, ACTIVATED	
Proper Shipping Name (IATA)	: Carbon, activated	
roper Shipping Name (ADN)	: CARBON, ACTIVATED	
roper Shipping Name (RID)	: CARBON, ACTIVATED	
Fransport document description (ADR)	: UN 1362 CARBON, ACTIVATED, 4.2, III, (E)	
Fransport document description (IMDG)	: UN 1362 CARBON, ACTIVATED, 4.2, III	

: UN 1362 Carbon, activated, 4.2, III

: UN 1362 CARBON, ACTIVATED, 4.2, III : UN 1362 CARBON, ACTIVATED, 4.2, III

14.3. Transport hazard class(es)

Transport document description (IATA)

Transport document description (ADN)

Transport document description (RID)

Transport hazard class(es) (ADR) : 4.2 Danger labels (ADR) : 4.2 :

> : 4.2 : 4.2

IMDG	
Transport hazard class(es) (IMDG)	: 4.2
Danger labels (IMDG)	: 4.2
	:
ΙΑΤΑ	

Transport hazard class(es) (IATA)
Danger labels (IATA)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 ame	anded by Regulation (EU) 2020/878
ADN	
Transport hazard class(es) (ADN)	: 4.2
Danger labels (ADN)	: 4.2
	4
	•
RID	
Transport hazard class(es) (RID)	: 4.2 : 4.2
Danger labels (RID)	· 4.2
	4
14.4. Packing group	•
Packing group (ADR)	: 111
Packing group (IMDG)	: 10
Packing group (IATA)	: III
Packing group (ADN)	: 111
Packing group (RID)	: III
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: 52
Special provisions (ADR)	: 646
Limited quantities (ADR) Excepted quantities (ADR)	: 0 : E1
Packing instructions (ADR)	: P002, IBC08, LP02, R001
Special packing provisions (ADR)	: PP11, B3
Mixed packing provisions (ADR)	: MP14
Portable tank and bulk container instructions (ADR)	: T1
Portable tank and bulk container special provisions	: TP33
(ADR)	
Tank code (ADR)	: SGAV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 4 : V1
Special provisions for carriage - Packages (ADR) Special provisions for carriage - Bulk (ADR)	: V1 : VC1, VC2, AP1
Hazard identification number (Kemler No.)	: 40
Orange plates	
	· 40
Tunnel restriction code (ADR)	1362

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 a	amended by Regulation (EU) 2020/878
EAC code	: 1Y
Transport by sea	
Special provisions (IMDG)	: 223, 925
Limited quantities (IMDG)	: 0
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002
Special packing provisions (IMDG)	: PP11, PP31
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-J
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW1, H2
Properties and observations (IMDG)	: Black powder or granules. Liable to heat slowly and ignite spontaneously in air. The material as
	offered for shipment should have been sufficiently heat-treated and should be cooled down to
	ambient temperature before packing.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 472
PCA max net quantity (IATA)	: 0.5kg
CAO packing instructions (IATA)	: 472
CAO max net quantity (IATA)	: 0.5kg
Special provisions (IATA)	: A3
ERG code (IATA)	: 4L
Inland waterway transport	
Classification code (ADN)	: S2
Special provisions (ADN)	: 646
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: S2
Special provisions (RID)	: 646
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P002, IBC08, LP02, R001
Special packing provisions (RID)	: PP11. B3

	•	F002, IBC08, LF
Special packing provisions (RID)	:	PP11, B3
Mixed packing provisions (RID)	:	MP14
Portable tank and bulk container instructions (RID)	:	T1
Portable tank and bulk container special provisions (RID)	:	TP33
Tank codes for RID tanks (RID)	:	SGAV
Transport category (RID)	:	4
Special provisions for carriage – Packages (RID)	:	W1
Special provisions for carriage – Bulk (RID)	:	VC1, VC2, AP1
Colis express (express parcels) (RID)	:	CE11
Hazard identification number (RID)	:	40

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Not listed on REACH Annex XVII

Not listed on the REACH Candidate List

Not listed on REACH Annex XIV (Authorisation List)

Not listed on the PIC list (Regulation EU 649/2012)

Not listed on the POP list (Regulation EU 2019/1021)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

15.1.2. National regulations

Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV)	 WGK nwg, Non-hazardous to water (Classification according to AwSV; ID No. 801) Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid	: The substance is not listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: The substance is not listed

15.2. Chemical safety assessment

For this substance a chemical safety assessment has been carried out No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
1.2	Use of the substance/mixture	Modified	
1.2	Use of the substance/mixture	Added	
2.3	Other hazards not contributing to the classification	Modified	
3.1	Comments (below composition)	Added	
4.1	First-aid measures general	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after eye contact	Modified	
4.1	First-aid measures after ingestion	Modified	
4.2	Symptoms/effects after eye contact	Added	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after skin contact	Added	
4.2	Symptoms/effects after inhalation	Added	
5.1	Suitable extinguishing media	Modified	
5.1	Unsuitable extinguishing media	Modified	
5.2	Fire hazard	Modified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
5.2	Hazardous decomposition products in case of fire	Modified	
5.3	Other information	Added	
5.3	Other information	Added	
6.1	Emergency procedures	Modified	
6.1	General measures	Modified	
6.1	Protective equipment	Modified	
6.3	Other information	Added	
6.3	Methods for cleaning up	Modified	
7.1	Hygiene measures	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Additional hazards when processed	Modified	
7.2	Incompatible products	Added	
7.2	Heat and ignition sources	Added	
8.1		Added	
8.2	Appropriate engineering controls	Modified	
8.2	Other information	Added	
8.2	Environmental exposure controls	Added	
8.2	Personal protective equipment	Added	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Added	
8.2	Eye protection	Modified	
8.2	Environmental exposure controls	Modified	
10.1	Reactivity	Added	
10.2	Chemical stability	Added	
10.3	Possibility of hazardous reactions	Added	
10.4	Conditions to avoid	Modified	
10.6	Hazardous decomposition products	Modified	
11	Reason for no classification	Added	
11.1	IARC group		
12.1	Ecology - water	Added	
13.1	Waste treatment methods	Added	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
voc	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
H252	Self-heating in large quantities; may catch fire.
Self-heat. 2	Self-Heating Substances and Mixtures, Category 2

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.