

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : CLAIRULOSE
Type of product : For œnological use
Product group : Trade product
Other means of identification : E 460(i)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional users only
Use of the substance/mixture : Precoating adjuvant for the filtration of musts and wines
Use of the substance/mixture : For œnological use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

LAFFORT FRANCE
P.O. Box CS 61611
33072 BORDEAUX CEDEX - FRANCE
T +33 (0)5 56 86 53 04 - F +33 (0)5 56 86 30 50
info@laffort.com - www.laffort.com

Distributor

LAFFORT CHILE
PARCELA 233, LOTE 2,
COLONIA KENNEDY, SECTOR HOSPITAL
9540000 PAINE - CHILE
T +56 22 979 1590 - F +56 9 5201 7140
info@laffort.com - www.laffort.com

Distributor

LAFFORT ITALIA
S.P. PER CASTELNUOVO SCRIVIA S.N.C.
15057 TORTONA AL
T +39 0131 863 608 - F +39 0131 821 305
laffortitalia@laffort.com - www.laffort.com

Distributor

LAFFORT SOUTH AFRICA
32 ZANDWYK PARK
7646 PAARL - SOUTH AFRICA
T +27 21 882 8106
info@laffort.com - www.laffort.com

Distributor

LAFFORT AUSTRALIA
23 BURWOOD AVENUE
WOODVILLE NORTH
5012 SOUTH AUSTRALIA - AUSTRALIA
T (08) 8360 2200
info@laffort.com - www.laffort.com

Manufacturer

LAFFORT ESPAÑA S.A.
TXIRRITA MALEO 12 APTDO 246
20100 RENTERIA (Guipúzcoa) - ESPAÑA
T 0034943344068 - F 0034943344281
info@laffort.com - www.laffort.com

Distributor

LAFFORT NEW ZEALAND
4/B GREENWOODS CLOSE
TITIRANGI
P.O. Box P.O. BOX 60-249
1000 AUCKLAND - NEW ZEALAND
T 64 (0) 21 322 290
info@laffort.com - www.laffort.com

Distributor

LAFFORT USA
1460 CADER LANE
SUITE C
CA 94954 PETALUMA - USA
T +1 (707) 775 4530
laffortusa@laffort.com - www.laffortusa.com

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre	The Children's Hospital at Westmead Locked Bag 4001 NSW 2145 Westmead	13 11 26 +56 2 2 247 3600	
Canada	Ontario Poison Centre (OPC)	The Hospital for Sick Children 555 University Avenue ON M5G 1X8 Toronto	1-800-268-9017 (416) 813-5900	
Canada	BC Drug and Poison Information Centre (DPIC)	655 West 12th Avenue BC V5Z 4R4 Vancouver	1-800-567-8911 (604) 682-5050	
China	National Poison Control Center	Chinese Center for Disease Control and Prevention Nanwei road, No.29 100050 Beijing	+86 10 831 32 046	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	
Georgia	National Toxicology Information Advisory Center	Tbilisi State Medical University Department of Toxicology - 7 Asatiani St. 380 077 Tbilisi	+995 99 533320	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Hungary	Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai Tájékoztató Szolgálat	Nagyvárad tér 2. 1437 Budapest, Pf. 839 1097 Budapest	+36 80 20 11 99	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Japan	Japan Poison Information Center	Tsukuba Medical Center 1-1-1 Amakubo 305-0005 Tsukuba City, Ibaraki	+81-29-856-3566 +81-72-727-2499	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
New Zealand	National Poisons Centre	Dunedin School of Medicine, University of Otago PO Box 913 9054 Dunedin	0800 764 766 +56 2 2 247 3600	
Poland	National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)	ul. Teresy 8 P.O. BOX 199 90950 Łódź	+48 42 63 14 724	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca Bucuresti	+40 21 230 8000	

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

Country	Organisation/Company	Address	Emergency number	Comment
Russia	Информационно-консультативный центр по токсикологии (RTIAC) Министерство здравоохранения Российской Федерации	3 Сухаревская Площадь Блок 7 129090 г. Москва	+7 495 628 1687 (только на русском)	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška cesta 7 1525 Ljubljana	+386 41 650 500	
South Africa	Tygerberg Poison Information Centre	Division of Clinical Pharmacology Faculty of Medicine and Health Sciences Stellenbosch University - PO Box 241 8 000 Cape Town	0861 555 777 +56 2 2 247 3600	
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzısıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 6590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United States of America	American Association of Poison Control Centers	515 King St., Suite 510 VA 22314 Alexandria	1-800-222-1222 +56 2 2 247 3600	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

This product does not meet the criteria for classification as hazardous as defined in the Regulation EC 1272/2008. Depending on the type of handling and use (e.g. grinding, drying), airborne respirable crystalline silica may be generated. Prolonged and/or massive inhalation of respirable crystalline silica dust may cause lung fibrosis, commonly referred to as silicosis.

Principal symptoms of silicosis are cough and breathlessness. Occupational exposure to respirable crystalline silica dust should be monitored and controlled.

2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

2.3. Other hazards

Other hazards not contributing to the classification

: Combustible products. Dust may form explosive mixture in air. HSE MDHS101/2 - Crystalline silica in respirable airborne dusts. Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : This product contains less than 1 % crystalline silica (fine fraction) consisting of cristobalite (fine fraction) and quartz (fine fraction).
Cristobalite: CAS-No.: 14464-46-1 EC No.: 238-455-4
Quartz: CAS-No.: 14808-60-7 EC No.: 238-878-4

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH annex II

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. If symptoms persist call a doctor.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.

First-aid measures after skin contact : After contact with skin, wash immediately and thoroughly with water and soap. If symptoms persist, call a physician.

First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : More detailed information: See section 11.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Breathing crystalline silica dust for long periods can damage your lungs. Crystalline silica (cristobalite) is a known cause of silicosis, a progressive, sometimes fatal lung disease.

Symptoms/effects after eye contact : May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO₂), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Do not use water jet.

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

- Explosion hazard : Avoid raising powdered material due to explosion hazard.
- Hazardous decomposition products in case of fire : Under normal conditions of storage and use, hazardous decomposition products should not be produced. Toxic fumes may be released. Carbon oxides (CO, CO₂). Nitrogen oxides.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Do not contaminate ground and surface water. Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Evacuate personnel to a safe area. Ensure adequate air ventilation.
- 6.1.1. For non-emergency personnel
- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Avoid contact with skin, eyes and clothing. Avoid breathing dust. Ventilate spillage area.
- Measures in case of dust release : Avoid dust formation.
- 6.1.2. For emergency responders
- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not flush into surface water or sewer system.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Dust deposited may be vacuum cleaned or the area hosed down with water. Mechanically recover the product. Contain leaking substance, pump over in suitable containers. Clean contaminated surfaces with an excess of water. Avoid raising powdered materials into airborne dust.
- Other information : Dispose of materials or solid residues at an authorized site. Do not allow to enter drains or water courses.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid dust formation. Local exhaust is recommended where dust may occur. Where excessive dust may result, use approved respiratory protection equipment. Store tightly closed in a dry and cool place. Avoid contact with skin and eyes. Wear recommended personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep only in the original container.
- Storage conditions : Keep container tightly closed to prevent moisture pick-up. Store in a dry, cool place. Keep in a well-ventilated room. Keep out of direct sunlight.
- Incompatible materials : Do not mix with oxidizing agents.

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

Heat and ignition sources : Keep away from ignition sources (including static discharges).

7.3. Specific end use(s)

For oenological use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

CLAIRULOSE		
France	Local name	Cellulose (fibre de papier)
France	VME (mg/m ³)	10 mg/m ³
France	Note (FR)	Valeurs recommandées/admises
France	Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Spain	Local name	Celulosa
Spain	VLA-ED (mg/m ³)	10 mg/m ³
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2019. INSHT
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	20 mg/m ³
United Kingdom	Remark (WEL)	Criterion TI
Switzerland	MAK (mg/m ³)	3 mg/m ³
USA - ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Avoid dust formation. Avoid raising powdered materials into airborne dust. Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Ensure the ventilation system is regularly maintained and tested.

Personal protective equipment:

Refer to protective measures listed in Sections 7 and 8.

Materials for protective clothing:

Wear suitable protective clothing. Antistatic clothing. EN 340. EN 1149

Hand protection:

In case of excessive dust production. Wear protective gloves. In case of repeated or prolonged contact wear gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11		EN ISO 374

Eye protection:

No special eye protection equipment recommended under normal conditions of use. Where excessive dust may result, wear goggles. Safety glasses

Type	Use	Characteristics	Standard
Safety glasses	Dust		EN 166

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

Skin and body protection:

Wear suitable protective clothing. Long sleeved protective clothing

Respiratory protection:

Use engineering controls to keep exposures below the OEL or DNEL. Where excessive dust may result, use approved respiratory protection equipment. Wear suitable respiratory equipment in case of insufficient ventilation. Appropriate dust or mist respirator should be used if airborne particles are generated when handling this material. EN 149

Device	Filter type	Condition	Standard
Dust mask	Type P1		EN 149

Environmental exposure controls:

Do not allow into drains or water courses. Avoid release to the environment. Avoid discharge to atmosphere.

Other information:

Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: white.
Odour	: Product (article) characteristics.
Odour threshold	: No data available
pH	: No data available
pH solution	: ≈ 6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: > 500 Not applicable
Decomposition temperature	: > 200 °C
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: Not applicable
Solubility	: insoluble in water.

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive. Dust may form explosive mixture in air.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. flames or sparks. Moisture.

10.5. Incompatible materials

Oxidation agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. See Heading 5.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: May cause eye-irritation of susceptible persons (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

- STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
- STOT-repeated exposure : Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.
In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)
In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003).
So there is a body of evidence supporting the fact that increased cancer risk would be limited to people already suffering from silicosis. Worker protection against silicosis should be assured by respecting the existing regulatory occupational exposure limits and implementing additional risk management measures where required. (Based on available data, the classification criteria are not met)
- Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

12.1. Toxicity

- Ecology - general : Ecological problems are not known or expected under normal use. High concentration in water may cause long-term adverse effects in the aquatic environment.
- Ecology - water : not toxic to water organisms. insoluble in water.
- Acute aquatic toxicity : Not classified
- Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

CLAIRULOSE

Persistence and degradability	Biodegradable. No known adverse effects on the functioning of water treatment plants under normal use conditions as recommended.
-------------------------------	--

12.3. Bioaccumulative potential

CLAIRULOSE

Bioaccumulative potential	There is no bioaccumulation.
---------------------------	------------------------------

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

12.4. Mobility in soil

CLAIRULOSE

Ecology - soil

Not applicable. Not soluble in water alone.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Do not allow to enter drains or water courses.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Avoid dust formation. Recycling is preferred to disposal or incineration.

Product/Packaging disposal recommendations : Empty remaining contents. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : Not regulated

UN-No. (IMDG) : Not regulated

UN-No. (IATA) : Not regulated

UN-No. (ADN) : Not regulated

UN-No. (RID) : Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated

Proper Shipping Name (IMDG) : Not regulated

Proper Shipping Name (IATA) : Not regulated

Proper Shipping Name (ADN) : Not regulated

Proper Shipping Name (RID) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

Packing group (IMDG) : Not regulated

Packing group (IATA) : Not regulated

Packing group (ADN) : Not regulated

Packing group (RID) : Not regulated

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations : For oenological use.

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Revision - See : *

Section	Changed item	Change	Comments
	STOT-repeated exposure - comment	Added	
2.1	Adverse physicochemical, human health and environmental effects	Added	
2.3	Other hazards not contributing to the classification	Added	
4.1	First-aid measures general	Added	
4.2	Symptoms/effects after inhalation	Added	
5.2	Explosion hazard	Added	
5.2	Explosion hazard	Added	
5.2	Hazardous decomposition products in case of fire	Added	
6.1	General measures	Added	
6.1	Emergency procedures	Modified	
6.3	Methods for cleaning up	Added	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
8.2	Respiratory protection	Modified	

CLAIRULOSE

Safety Data Sheet

according to Regulation (EU) 2015/830

8.2	Appropriate engineering controls	Modified	
8.2	Environmental exposure controls	Modified	
8.2	Materials for protective clothing	Modified	
8.2	Skin and body protection	Modified	
8.2	Respiratory protection	Modified	
9.1	Explosive properties	Added	
9.1	Lower explosive limit (LEL)	Added	
9.1	Upper explosive limit (UEL)	Added	
9.1	Decomposition temperature	Added	
10.6	Hazardous decomposition products	Modified	
10.6	Hazardous decomposition products	Modified	
11.1	Reason for no classification	Modified	
12.1	Ecology - general	Modified	
12.4	Ecology - soil	Added	
12.6	Other adverse effects	Added	
13.1	Waste treatment methods	Modified	
13.1	Regional legislation (waste)	Added	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.