

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: SUPRAROM® MT
Type of product	: For œnological use
Product group	: Trade product
Other means of identification	: E224

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Professional use
Industrial/Professional use spec	: For professional users only
Use of the substance/mixture	: Preservation and stabilisation agent.
Use of the substance/mixture	: For œnological use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

LAFFORT FRANCE
P.O. Box CS 61611
33072 BORDEAUX CEDEX - FRANCE
T +33 (0)5 56 86 53 04 - F +33 (0)5 56 86 30 50
info@laffort.com - www.laffort.com

Distributor

LAFFORT AUSTRALIA
23 BURWOOD AVENUE
WOODVILLE NORTH
5012 SOUTH AUSTRALIA - AUSTRALIA
T (08) 8360 2200
info@laffort.com - www.laffort.com

Supplier, furnisher

LAFFORT ESPAÑA S.A.
TXIRRITA MALEO 12 APTDO 246
20100 RENTERIA (Guipúzcoa) - ESPAÑA
T 0034943344068 - F 0034943344281
info@laffort.com - www.laffort.com

Distributor

LAFFORT NEW ZEALAND
4/B GREENWOODS CLOSE
TITIRANGI

Distributor

LAFFORT ARGENTINA
PREDIO INDUSTRIAL, CALLE CASTRO BARROS
1330 CARRODILLA
LUJAN DE CUYO - ARGENTINA
T + 54 261 4962309 - F + 54 261 4964060
info@laffort.com - www.laffort.com

Distributor

LAFFORT CHILE
PARCELA 233, LOTE 2,
COLONIA KENNEDY, SECTOR HOSPITAL
9540000 PAINE - CHILE
T +56 22 979 1590 - F +56 9 5201 7140
info@laffort.com - www.laffort.com

Distributor

LAFFORT ITALIA
S.P. PER CASTELNUOVO SCRIVIA S.N.C.
15057 TORTONA AL
T +39 0131 863 608 - F +39 0131 821 305
laffortitalia@laffort.com - www.laffort.com

Distributor

LAFFORT SOUTH AFRICA
32 ZANDWYK PARK
7646 PAARL - SOUTH AFRICA

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P.O. Box P.O. BOX 60-249
1000 AUCKLAND - NEW ZEALAND
T 64 (0) 21 322 290
info@laffort.com - www.laffort.com

T +27 21 882 8106
info@laffort.com - www.laffort.com

Distributor

LAFFORT USA
1460 CADER LANE
SUITE C
CA 94954 PETALUMA - USA
T +1 (707) 775 4530
laffortusa@laffort.com - www.laffortusa.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	NSW Poisons Information Centre The Children's Hospital at Westmead	Locked Bag 4001 NSW 2145 Westmead	13 11 26	
Canada	Ontario Poison Centre (OPC)	The Hospital for Sick Children 555 University Avenue ON M5G 1X8 Toronto	1-800-268-9017 (416) 813-5900	
Canada	BC Drug and Poison Information Centre (DPIC)	655 West 12th Avenue BC V5Z 4R4 Vancouver	1-800-567-8911 (604) 682-5050	
China	National Poison Control Center	Chinese Center for Disease Control and Prevention Nanwei road, No.29 100050 Beijing	+86 10 831 32 046	
Croatia	Centar za kontrolu otrovanja Institut za medicinska istraživanja i medicinu rada	Ksaverska Cesta 2 p.p. 291 10000 Zagreb	+385 1 234 8342	Information available 24/7 in Croatian and English
Czech Republic	Toxikologické informační středisko Klinika pracovního lékařství VFN a 1. LF UK	Na Bojišti 1 120 00 Praha 2	+420 224 919 293 +420 224 915 402	
Denmark	Giftlinjen	Bispebjerg Bakke 23 Opgang 20 C 2400 København NV	+45 82 12 12 12	

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Georgia	National Toxicology Information Advisory Center	Tbilisi State Medical University Department of Toxicology - 7 Asatiani St. 380 077 Tbilisi	+995 99 533320	
Greece	Poisons Information Centre Children's Hospital P&A Kyriakou	11762 Athens	+30 2 10 779 3777	
Hungary	Országos Kémiai Biztonsági Intézet Egészségügyi Toxikológiai Tájékoztató Szolgálat	Nagyvárad tér 2. 1437 Budapest, Pf. 839 1097 Budapest	+36 80 20 11 99	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Japan	Japan Poison Information Center	Tsukuba Medical Center 1-1-1 Amakubo 305-0005 Tsukuba City, Ibaraki	+81-29-856-3566 +81-72-727-2499	
Jordan	National Drug & Poison Information Center of Jordan		0798506755 00962-6-5353444	
Kazakhstan	Republican Toxicology Center	Tole-bi 93 480083 Almaty	+7 3272 925 868	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
New Zealand	National Poisons Centre	Dunedin School of Medicine, University of Otago PO Box 913 9054 Dunedin	0800 764 766 +56 2 2 247 3600	
Poland	National Poisons Information Centre The Nofer Institute of Occupational Medicine (Łódź)	ul. Teresy 8 P.O. BOX 199 90950 Łódź	+48 42 63 14 724	
Romania	Department of Clinical Toxicology Spitalul de Urgenta Floreasca	Calea Floreasca Bucuresti	+40 21 230 8000	
Russia	Информационно-консультативный центр по токсикологии (RTIAC) Министерство здравоохранения Российской Федерации	3 Сухаревская Площадь Блок 7 129090 г. Москва	+7 495 628 1687 (только на русском)	

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Serbia	Nacionalni centar za kontrolu trovanja - VMA	Crnotravska 17 11000 Beograd	+381 11 360 84 40	
Slovenia	Center za klinično toksikologijo in farmakologijo Interna klinika, UKCL	Zaloška 7 1000 Ljubljana	+386 522 52 83	
South Africa	Tygerberg Poison Information Centre	Division of Clinical Pharmacology Faculty of Medicine and Health Sciences Stellenbosch University - PO Box 241 8 000 Cape Town	0861 555 777 +56 2 2 247 3600	
Sweden	Giftinformationscentralen	Solna Strandväg 21 171 54 Solna	112 – begär Giftinformation	
Turkey	Ulusal Zehir Merkezi (UZEM) Refik Saydam Hıfzısıhha Merkezi Başkanlığı	Cemal Gürsel Cd. No: 18 Sıhhiye Çankaya 06590 Ankara	114	Information is provided to public and medical personnel on poisoning incidents via 114.
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	
United Kingdom	National Poisons Information Service Edinburgh Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0344 892 0111	
United States of America	American Association of Poison Control Centers	515 King St., Suite 510 VA 22314 Alexandria	1-800-222-1222 +56 2 2 247 3600	

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318

Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H statements : see section 16


Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Potassium metabisulphite - E224

Hazard statements (CLP)

: H318 - Causes serious eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing dust, fume, gas, mist, vapours, spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P312 - Call a doctor, a POISON CENTER if you feel unwell.

EUH-statements

: EUH031 - Contact with acids liberates toxic gas.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium metabisulphite - E224 substance with a Community workplace exposure limit	(CAS-No.) 16731-55-8 (EC-No.) 240-795-3	80 – 90	Eye Dam. 1, H318 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : In case of doubt or persistent symptoms, consult always a physician. Remove victim from polluted area. Take off immediately all contaminated clothing. Never give anything by mouth to an unconscious person. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If unconscious place in recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband. Apply artificial respiration if breathing stopped. Immediately consult a doctor/medical service. If experiencing respiratory symptoms: Call a poison center or a doctor.
- First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. Rinse immediately with plenty of water for 15 minutes. Immediately consult a doctor/medical service. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : In case of eye contact, immediately rinse with clean water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Remove person to fresh air and keep comfortable for breathing. Never attempt to induce vomiting : risk of inhalation. Give water to drink if victim completely conscious/alert. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice. Loosen tight clothing such as a collar, tie, belt or waistband. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : More detailed information: See section 11.
- Symptoms/effects after inhalation : May cause respiratory irritation.
- Symptoms/effects after skin contact : None under normal conditions. Contact during a long period may cause light irritation.
- Symptoms/effects after eye contact : Eye irritation. Serious damage to eyes.
- Symptoms/effects after ingestion : If swallowed, risk of formation of sulphur dioxide by reaction with gastric acid. Gastrointestinal complaints.

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : If there is a fire close by, use suitable extinguishing agents. carbon dioxide (CO₂), powder, alcohol-resistant foam, water spray.
- Unsuitable extinguishing media : Do not use water jet.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : In case of fire and/or explosion do not breathe fumes.
- Explosion hazard : Avoid raising powdered material due to explosion hazard.
- Hazardous decomposition products in case of fire : Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide. Thermal decomposition generates : Toxic fumes may be released. Sulphur dioxide. Sulphur oxides.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Provision to contain effluent from fire extinguishing. Do not contaminate ground and surface water. Dispose in a safe manner in accordance with local/national regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not handle until all safety precautions have been read and understood. Evacuate personnel to a safe area.

6.1.1. For non-emergency personnel

- Protective equipment : Wear personal protective equipment.
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. No flames, no sparks. Eliminate all sources of ignition. Do not touch or walk on the spilled product.
- Measures in case of dust release : Avoid dust formation.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.2. Environmental precautions

Do not flush into surface water or sewer system. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| Methods for cleaning up | : Mechanically recover the product. Contain leaking substance, pump over in suitable containers. Shovel into suitable and closed container for disposal. Clean contaminated surfaces with an excess of water. Notify authorities if product enters sewers or public waters. |
| Other information | : Dispose of materials or solid residues at an authorized site. Do not allow to enter drains or water courses. |

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Avoid dust formation. Ensure good ventilation of the work station. Local exhaust is recommended where dust may occur. Avoid contact with skin and eyes. Wear recommended personal protective equipment. Store tightly closed in a dry and cool place. |
| Hygiene measures | : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands after handling the product. Take off immediately all contaminated clothing and wash it before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|---------------------------|---|
| Technical measures | : Keep only in the original container. |
| Storage conditions | : Keep container tightly closed to prevent moisture pick-up. Store in a dry, cool place. Keep out of direct sunlight. Keep in a well-ventilated room. |
| Incompatible products | : Strong acids, strong oxidants. SODIUM NITRATE. Sodium nitrite. Sodium sulfide. |
| Incompatible materials | : None to our knowledge. |
| Heat and ignition sources | : Keep away from ignition sources (including static discharges). |

7.3. Specific end use(s)

For oenological use.

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Potassium metabisulphite - E224 (16731-55-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA [ppm]	≈ 0,5 ppm (SO ₂)
IOEL STEL [ppm]	≈ 1 ppm (SO ₂)
Notes	SO ₂
France - Occupational Exposure Limits	
Local name	Dioxyde de soufre (CAS: 7446-09-5)
VME (OEL TWA)	≈ 5 mg/m ³
VME (OEL TWA) [ppm]	≈ 2 ppm
VLE (OEL C/STEL)	≈ 10 mg/m ³
VLE (OEL C/STEL) [ppm]	≈ 5 ppm
Note (FR)	Limite donnée à titre indicative
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL STEL [ppm]	0,25 ppm (SO ₂)
Remark (ACGIH)	SO ₂

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Avoid dust formation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure the ventilation system is regularly maintained and tested.

8.2.2. Personal protection equipment

Personal protective equipment:

Refer to protective measures listed in Sections 7 and 8.

8.2.2.1. Eye and face protection

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Eye protection:			
Use eye protection according to EN 166, designed to protect against powders and dusts. Safety glasses with side shields			
Type	Field of application	Characteristics	Standard
Safety glasses	Dust	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:	
Wear suitable protective clothing	
Type	Standard
Chemically resistant protective gloves	EN 374

Hand protection:					
Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Protective gloves. EN 374					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.4		EN 420, EN ISO 374
Chemically resistant protective gloves	Chloroprene rubber (CR)	6 (> 480 minutes)	0.5		EN 420, EN ISO 374
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	0.7		EN 420, EN ISO 374

Other skin protection
Materials for protective clothing:
Wear suitable protective clothing. Long sleeved protective clothing. acid resistant clothing. Splash guard. EN 14605. Dust protection. EN ISO 13982

8.2.2.3. Respiratory protection

Respiratory protection:			
No special protection required where adequate ventilation is maintained. Wear suitable respiratory equipment in case of insufficient ventilation. EN 143. EN 149			
Device	Filter type	Condition	Standard
Dust mask	Type P1	Dust protection, Short term exposure	EN 149, EN 143

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aerosol mask	ABEK-P3	High dust protection, Mist formation, Long term exposure, Dust protection	EN 14387
--------------	---------	---	----------

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not allow into drains or water courses. Avoid release to the environment.

Other information:

Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: White to off-white.
Appearance	: Powder.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not applicable
Lower explosive limit (LEL)	: Not applicable
Upper explosive limit (UEL)	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: > 150 °C 1.013 hPa
pH	: Not available
pH solution	: 3 – 5 20°C
Viscosity, kinematic	: Not applicable
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not applicable
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Can react with. Nitrites. Nitrates. Oxidation agents.

10.4. Conditions to avoid

Heat. flames or sparks. Moisture. Direct sunlight.

10.5. Incompatible materials

Oxidizing agents and strong acids. Nitrites. Nitrates.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : See Heading 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Potassium metabisulphite - E224 (16731-55-8)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal	> 2000 mg/kg
LC50 Inhalation - Rat	> 5,5 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation	: Slightly irritating to the skin (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Severe eye irritation
Additional information	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.

Potassium metabisulphite - E224 (16731-55-8)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

SUPRAROM® MT	
Viscosity, kinematic	Not applicable

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life. Prevent liquid from entering sewers, watercourses, underground or low areas.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Potassium metabisulphite - E224 (16731-55-8)	
LC50 - Fish [1]	464 – 1000 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	89 mg/l Test organisms (species): Daphnia magna
EC50 - Other aquatic organisms [1]	65 mg/l 17h - Bacteria
EC50 72h - Algae [1]	43,8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
NOEC chronic algae	> 10 mg/l Daphnia magna

12.2. Persistence and degradability

Potassium metabisulphite - E224 (16731-55-8)	
Persistence and degradability	Mineral. Not biodegradable.
Chemical oxygen demand (COD)	0,14 g O ₂ /g substance

12.3. Bioaccumulative potential

Potassium metabisulphite - E224 (16731-55-8)	
Partition coefficient n-octanol/water (Log Pow)	≈ -4
Bioaccumulative potential	There is no bioaccumulation.

12.4. Mobility in soil

Potassium metabisulphite - E224 (16731-55-8)	
Additional information	Not volatile

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : No other effects known, Do not allow to enter drains or water courses

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Sewage disposal recommendations	: Do not flush into surface water or sewer system.
Product/Packaging disposal recommendations	: Empty remaining contents. Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: Not regulated
UN-No. (IMDG)	: Not regulated
UN-No. (IATA)	: Not regulated
UN-No. (ADN)	: Not regulated
UN-No. (RID)	: Not regulated

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated
Proper Shipping Name (IATA)	: Not regulated
Proper Shipping Name (ADN)	: Not regulated
Proper Shipping Name (RID)	: Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

ADN

Transport hazard class(es) (ADN) : Not regulated

RID

Transport hazard class(es) (RID) : Not regulated

14.4. Packing group

Packing group (ADR)	: Not regulated
Packing group (IMDG)	: Not regulated
Packing group (IATA)	: Not regulated
Packing group (ADN)	: Not regulated
Packing group (RID)	: Not regulated

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 66	Occupational rhinitis and asthma

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

For the following substances of this mixture a chemical safety assessment has been carried out

Potassium metabisulphite - E224

SECTION 16: Other information

Indication of changes:

Revision - See : *.

Section	Changed item	Change	Comments
4.1	First-aid measures general	Modified	
4.1	First-aid measures after inhalation	Modified	
4.1	First-aid measures after skin contact	Modified	
4.1	First-aid measures after eye contact	Modified	
4.1	First-aid measures after ingestion	Modified	
4.2	Symptoms/effects after ingestion	Added	
4.2	Symptoms/effects after skin contact	Added	
5.1	Suitable extinguishing media	Modified	
5.2	Fire hazard	Added	
5.2	Hazardous decomposition products in case of fire	Modified	
5.2	Explosion hazard	Added	
5.3	Firefighting instructions	Added	
5.3	Other information	Modified	
6.1	General measures	Added	

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1	Emergency procedures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Modified	
6.3	Other information	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Hygiene measures	Modified	
7.2	Storage conditions	Modified	
7.2	Incompatible products	Modified	
7.2	Incompatible materials	Modified	
8.2	Appropriate engineering controls	Modified	
8.2	Skin and body protection	Modified	
8.2	Hand protection	Modified	
8.2	Materials for protective clothing	Modified	
8.2	Respiratory protection	Modified	
10.3	Possibility of hazardous reactions	Modified	
10.5	Incompatible materials	Modified	
10.5	Incompatible materials	Modified	
10.6	Hazardous decomposition products	Modified	
11.1	Reason for no classification	Added	
11.1	Respiratory or skin sensitisation - comment	Added	
12.	Reason for no classification	Added	
12.1	Ecology - general	Added	
12.6	Other adverse effects	Added	
15.2	Chemical safety assessment	Modified	

Full text of H- and EUH-statements:

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

SUPRAROM® MT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EUH031	Contact with acids liberates toxic gas.
--------	---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.